



Noblesville Pharmacy

RX and Custom Compounding

758 Westfield Rd. Noblesville, IN 46062

Phone: 317-231-5252

Fax: 317-900-7458 **Ensure drug dosing/strength** Is appropriate for age and weight of the pediatric patient. Please contact PCCA's Pharmacy Consulting Department with questions regarding the formulations.

For Commonly Requested
Compounding Ideas for Autistic
Patients, see PCCA Document #97888.

Commonly Requested Formula for Patients with Acne

PCCA Formula # 12065

PCCA Formula # 11513	Benzoyl Peroxide 2%/Sulfacetamide 5%/Clindamycin 1% Topical Cream (Clarifying™)
PCCA Formula # 12064	Erythromycin 3%/Benzoyl Peroxide 5%/Biotin 0.1% Topical Cream (Clarifying™)
PCCA Formula # 7642	Salicylic Acid 2%/Aloe Vera 1%/Tea Tree Oil 1% Topical Foam Cleanser
PCCA Formula # 11800	Clindamycin 1%/Benzoyl Peroxide 5%/Superoxide Dismutase 0.5%/Vitamin D3 0.5% Topical
	Cream (Clarifying™)
PCCA Formula # 11701	Niacinamide 4% Topical Cream (Clarifying™)
PCCA Formula # 11699	Benzoyl Peroxide 7%/Niacinamide 2%/Biotin 0.1% Topical Cream (Clarifying™)
PCCA Formula # 12047	Clindamycin 1%/Tretinoin 0.025% Topical Cream (Clarifying™)
PCCA Formula # 10901	Clindamycin 1%/Benzoyl Peroxide 3% Topical Gel (PracaSil™-Plus)
PCCA Formula # 10886	Sulfur 2%/Salicylic Acid 1.5% Topical Cleanser Lotion
PCCA Formula # 10358	Salicylic Acid 2% Topical Occlusaderm® (Spot Treatment)
PCCA Formula # 9018	Salicylic Acid 2%/Mandelic Acid 5%/Niacinamide 5% Cleansing Pads

Clindamycin 1%/Benzoyl Peroxide 5%/Niacinamide 5% Topical Cream (Clarifying™)

Commonly Requested Formulas for Babies with Reflux (GERD)

PCCA Formula # 11254	Lansoprazole 3 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 9673	Lansoprazole 3 mg/mL Oral Suspension (Flavorless) (FormulaPlus™ BUD Study)
PCCA Formula # 12427	Omeprazole 20 mg Base MBK Suppository (Blue Mold)
PCCA Formula # 11319	Omeprazole 5 mg/mL Oral Suspension (FormulaPlus™ BUD Study)
PCCA Formula # 11024	Omeprazole 2 mg/mL Oral Suspension (PCCA-Plus™/PCCA Syrup™) (FormulaPlus™ BUD Study)
PCCA Formula # 10175	Omeprazole 2 mg/mL Oral Suspension (FormulaPlus™ BUD Study)
PCCA Formula # 11271	Ranitidine 30 mg/mL Oral Suspension (SuspendIt™) (FormulaPlus™ BUD Study)

Commonly Requested Formulas for Patients with Eczema/Atopic Dermatitis/Psoriasis

PCCA Formula # 11780	Cyanocobalamin 0.07% Topical Cream (XemaTop™)
PCCA Formula # 11792	Cyanocobalamin 0.07%/Urea 2% Topical Cream (XemaTop™)
PCCA Formula # 11788	Zinc Pyrithione 0.2%/Clobetasol Propionate 0.05%/Cyanocobalamin 0.07% Topical Cream (XemaTop™)
PCCA Formula # 11940	Naltrexone HCl 0.5%/Diphenhydramine HCl 2%/Vitamin D3 5000 IU/Gm Topical Cream (XemaTop™)
PCCA Formula # 8907	Cyanocobalamin 0.07% Topical Cream
PCCA Formula # 11187	Cyanocobalamin 0.07%/Urea 2% Topical Gel (PracaSil™-Plus)
PCCA Formula # 11026	Zinc Pyrithione 0.2%/Clobetasol Propionate 0.05%/Cyanocobalamin 0.07% Topical Gel
	(Spira-Wash™/PracaSil™-Plus)

Commonly Requested Formulas for Patients with Diaper Rash

PCCA Formula # 12158	Cholestyramine 5%/Mupirocin 0.5%/Miconazole Nitrate 0.5% Topical Ointment
PCCA Formula # 11595	Zinc Oxide 40% Topical Ointment (PracaSil™-Plus)
PCCA Formula # 11031	Diaper Rash Topical Gel (PracaSil™-Plus) (Happy Hiney)
PCCA Formula # 3702	Nystatin 0.758%/Karaya Gum 33% Topical Ointment
PCCA Formula # 5713	Happy Hiney
PCCA Formula # 1537	Buttocks Ointment
PCCA Formula # 9012	Zinc Oxide 5%/Benzoin Compound Topical Paste



Commonly Requested Formulas for Patients with Scars from Everyday Boo-Boos

PCCA Formula # 10719	Aloe Vera 0.5% Topical Gel (PracaSil™-Plus)
PCCA Formula # 10843	Mupirocin 2% Topical Gel (PracaSil™-Plus)

Commonly Requested Formulas for Patients with Potentially Hypertrophic Scars

PCCA Formula # 11721	EGCg 0.5%/Tranilast 1% Topical Gel (PracaSil™-Plus)
PCCA Formula # 11722	Diphenhydramine HCl 1%/Tranilast 1%/Collagenase
	250 U/Gm Topical Gel (PracaSil™-Plus)
PCCA Formula # 10416	Urea 15%/PracaSil™-Plus Topical Gel (Spira-Wash™)
PCCA Formula # 10413	Sodium Hyaluronate 0.5%/Spira-Wash™ Topical Gel
	(PracaSil™-Plus)
PCCA Formula # 11764	Collagenase 350 U/Gm/Hyaluronidase 250 U/Gm
	Compound Topical Gel (PracaSil™-Plus)

Commonly Requested Formulas for Patients with Hypertrophic Scars/Burns

PCCA Formula # 10413	Sodium Hyaluronate 0.5%/Spira-Wash™ Topical Gel
	(PracaSil™-Plus)
PCCA Formula # 10719	Aloe Vera 0.5% Topical Gel (PracaSil™-Plus)
PCCA Formula # 10710	Sodium Hyaluronate 0.5%/Beta Glucan
	0.5%/Glycosaminoglycans 5% Topical Gel (PracaSil™-Plus)
PCCA Formula # 10843	Mupirocin 2% Topical Gel (PracaSil™-Plus)

PCCA PracaSil™-Plus

(PCCA #30-4655)

A unique topical anhydrous silicone base that can be used alone or with various actives for potential use in formulations. PracaSil-Plus is the only compounding base designed for scars and other skin conditions. It contains Pracaxi oil, which is a unique ingredient from the Amazon with anti-inflammatory, anti-oxidant, antibacterial and antifungal properties.

For more PracaSil-Plus information, see:

- PracaSil-Plus Technical Reports and Case Studies - all that have been published to date - (PCCA Document #98638)
- PracaSil-Plus Practitioner Spec Sheet (PCCA Document #98436)

Commonly Requested Formulas for Patients with Influenza

PCCA Formula # 11220	Oseltamivir 12 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 4208	Zinc Gluconate 5 mg/Ascorbic Acid 100 mg/Deoxy-D-Glucose (2) 0.2% Sorbitol Lollipop Base
PCCA Formula # 3290	Zinc Gluconate 12.5 mg/Ascorbic Acid 100 mg/Glycine 50 mg Base A Troche
PCCA Formula # 6665	Ibuprofen 100 mg Sorbitol Lollipop™ Base
PCCA Formula # 3547	Acetaminophen 240 mg Sorbitol Lollipop™ Base
PCCA Formula # 9868	Ibuprofen 100 mg Popsicle
PCCA Formula # 11251	lbuprofen 400 mg/5 mL Oral Suspension (SuspendIt™)

Commonly Requested Formulas for Kids with Throat Pain Due to Various Conditions Such as: Tonsillitis; Tonsillectomy; Strep Throat; Mononucleosis; Hand, Foot and Mouth Disease; Influenza; Colds; Laryngitis; Pharyngitis; and More

See PCCA Document # 99300, Compounding Options: When a Patient's Throat is on Fire, for more information.

Mucoadhesive Swish/Spit Formulas

PCCA Formula # 11089	Oral Rinse - General Formula (MucoLox™)
PCCA Formula # 11157	Acyclovir 5%/Lidocaine HCl 1%/Deoxy-D-Glucose (2) 2% Oral Rinse (MucoLox™)
PCCA Formula # 11366	Dexamethasone 0.05 mg/mL Oral Rinse (MucoLox™)
PCCA Formula # 11132	Lidocaine HCl 2% Oral Rinse (MucoLox™)

Popsicles

PCCA Formula # 11364	Popsicle, General Formula, MucoLox™
PCCA Formula # 9868	Ibuprofen 100 mg Popsicle
DCCA E # 11430	T. (

Tetracaine HCl 0.025% Popsicle (MucoLox™) PCCA Formula # 11430



Lollipops

These are often for swirling for a short time in the mouth and then saving for later. The amount of APIs, especially anesthetics, should be monitored to ensure that the dose is appropriate for age/weight. Anesthetics can numb the gag reflex, so it is important to be cautious of choking hazards.

PCCA Formula # 5380	Tetracaine HCl 0.5% Sorbitol Lollipop™ Base
PCCA Formula # 5689	Lidocaine HCl 1%/Ascorbic Acid 500 mg Sorbitol
	Lollipop™ Base
PCCA Formula # 5376	Diphenhydramine HCl 25 mg/Lidocaine HCl
	2%/Hydrocortisone 1% Sorbitol Lollipop Base
PCCA Formula # 5377	Menthol 0.2%/Eucalyptus 0.1% Sorbitol
	Lollipop™ Base

Oral Liquids

Oral Liquids	
PCCA Formula # 11379	Hydrocodone Bitartrate 10 mg/5
	mL/Acetaminophen 325 mg/5 mL Oral
	Suspension (SuspendIt™)
PCCA Formula # 12112	Prednisolone 1 mg/mL to 10 mg/mL Oral
	Suspension (SuspendIt) (FormulaPlus™ BUD
	Bracketed Study)
PCCA Formula # 11251	Ibuprofen 400 mg/5 mL Oral Suspension
	(SuspendIt™)

Oral Throat Sprays

PCCA Formula # 12293	Lidocaine 4% Throat Spray (MucoLox™)
PCCA Formula # 0056	Antipyrine 0.3% Throat Spray
PCCA Formula # 4163	Benzocaine 2.3% Throat Spray

Transdermals

Transdermal preparations are often requested for external application on the neck area.

PCCA Formula # 6554	Ibuprofen 10% Topical Lipoderm®
PCCA Formula # 6558	Ketoprofen 10% Topical Lipoderm®
PCCA Formula # 9952	Diclofenac Sodium 5% Topical Spray

Compounding resources and supplies appropriate for pediatric patients:

- The Art of Flavoring Guide (PCCA #35-5154/Digital Kit or PCCA #35-5149/Print Binder Kit)
 - Contains flavoring and sweetening techniques and tips for all dosage forms
 - For details, see PCCA Document #98877.
- Stay Safe Closures (PCCA #35-4262)
 - Self-sealing filling closure allows oral/topical syringes to draw the exact amount needed while reducing the risk of spill, evaporation and contamination.
 - o Use on 24 mm bottles.
 - Allows the use of the original child safe closure.
- Child-Lock Troche Mold (PCCA # 35-5513 – Pink; PCCA # 35-5512 - Blue)
 - Features an innovative design enabling pharmacies to dispense troches in a child-resistant, tamperevident, easy-to-use system.
 - The 30-cavity tray locks into the sleeve when it is fully inserted, and a red, tamper-evident seal can be applied to let the patient know if the mold has been opened.
 - To open the mold, the patient simply needs to squeeze the side tabs at the top of the case while sliding the tray out.
- Child Resistant Foil Laminate Bags (PCCA #35-3005 – 9" x 6)"; PCCA #35-3006 – 10" x 8")

Commonly Requested Formulas for Patients with Oral Yeast Infections/Thrush

PCCA Formula # 11204	Nystatin 100,000 U/mL Oral Suspension (SuspendIt™) (FormulaPlus™ BUD Study)
PCCA Formula # 11141	Nystatin 100,000 U/mL Oral Suspension (MucoLox™) (FormulaPlus™ BUD Study)
PCCA Formula # 11129	Clotrimazole 1% Oral Rinse (MucoLox™)
PCCA Formula # 5398	Clotrimazole 80 mg Sorbitol Lollipop™ Base
PCCA Formula # 2886	Nystatin 500,000 U Sorbitol Lollipop™ Base



Commonly Requested Formulas for Patients with a Cough/Cold

PCCA Formula # 5378	Menthol 0.1%/Eucalyptus 0.275% Sorbitol Lollipop™ Base
PCCA Formula # 11247	Guaifenesin 100 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 10711	Dyphylline 100 mg/5 ml/Guaifenesin 100 mg/5ml Oral Liquid

PCCA Formula # 10631 Guaifenesin 20 mg/mL/Menthol 4.4 mg/mL/Camphor 0.44 mg/mL Oral Syrup

Commonly Requested Formulas for Patients with Ear Infections

PCCA Formula # 5417	Xylitol 2 Gm Sorbitol Lollipop™ Base
PCCA Formula # 4516	Xylitol 40% Oral Syrup
PCCA Formula # 9642	Xylitol 66.7% Oral Syrup

PCCA Formula # 9641 Xylitol 60% Oral Syrup

Commonly Requested Formulas for Patients with Pain/Fever

PCCA Formula # 2491	Ibuprofen 400 mg Base MBK Suppository (Pink Mold)
PCCA Formula # 6665	Ibuprofen 100 mg Sorbitol Lollipop® Base
PCCA Formula # 3547	Acetaminophen 240 mg Sorbitol Lollipop® Base
PCCA Formula # 9868	Ibuprofen 100 mg Popsicle
PCCA Formula # 11251	Ibuprofen 400 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 1260	Ibuprofen 100 mg Base A Troche
PCCA Formula # 9448	Ketoprofen 10% Topical Lipoderm® ((FormulaPlus™ BUD Study)
PCCA Formula # 9447	Ibuprofen 20% Topical Lipoderm® ((FormulaPlus™ BUD Study)

Commonly Requested Formulas for Patients with Lice

PCCA Formula # 4712	Ivermectin 1% Topical Lotion
PCCA Formula # 4847	Aromatic Head Lice Formula
PCCA Formula # 4848	Lice Remedy, Essential Oils

PCCA Formula # 10490 Benzyl Alcohol 5%/Tea Tree Oil 10%/Lavender Oil 1% Topical Lotion

PCCA Formula # 4846 Ylang-Ylang 1%/Anise 1%/Coconut 1% Topical Spray

Commonly Requested Formulas for Patients with Itching

PCCA Formula # 0127	Diphenhydramine HCl 3%/Tripelennamine HCl 2%/Hydrocortisone Acetate 1% Compound Topical Gel
	'
PCCA Formula # 6712	Hydrocortisone 1%/Diphenhydramine HCl 2%/ Lidocaine HCl 1% Topical Foam (VersaBase®)
PCCA Formula # 9021	Tripelennamine HCl 0.765%/Diphenhydramine HCl 1% Topical Spray
PCCA Formula # 8970	Diphenhydramine HCl 2%/Hydrocortisone 1% Topical Cream
PCCA Formula # 7037	Diphenhydramine HCl 2%/Dexamethasone Sodium Phosphate 0.05%/Lidocaine HCl 1% Topical
	Spray
PCCA Formula # 4697	Lidocaine HCl 2.5%/Tetracaine HCl 4%/Diphenhydramine HCl 1%/Betamethasone Valerate 0.15%
	Topical Gel
PCCA Formula # 3354	Aloe Vera 0.5%/Diphenhydramine HCl 2%/Pramoxine HCl 1%/Hydrocortisone 0.5% Compound
	Topical Gel
PCCA Formula # 1049	Tripelennamine HCl 0.765%/Diphenhydramine HCl 1%/Triamcinolone 0.1% Topical Spray
DCCA Formula # E91E	Diphenhydramine HCl 1%/Calamine 8% Topical Cream
PCCA Formula # 5815	Dipriently dramme nci 170/ calamine 070 ropical Cream



Commonly Requested Formulas for Patients Needing Topical Anesthetics

See Toxicities of Topical Anesthetics, PCCA Document #98628.

PCCA Formula # 10054	Lidocaine HCl 4%/Tetracaine HCl 0.5%/Epinephrine HCl 0.05% Topical Gel (FormulaPlus™ BUD Study)
PCCA Formula # 6756	Lidocaine HCl 1%/Tetracaine HCl 1% Topical Foam (VersaBase®)
PCCA Formula # 6757	Lidocaine HCl 1%/Prilocaine HCl 1%/Tetracaine HCl 2% Topical Foam (VersaBase®)
PCCA Formula # 12073	Benzocaine 10%/Lidocaine 5%/Tetracaine 2% Topical Cream (VersaBase®)
PCCA Formula # 10996	Lidocaine 6%/Tetracaine 6%/Benzocaine 4% Topical Gel (Spira-Wash™)

Commonly Requested Formulas for Patients with Nausea and Vomiting

PCCA Formula # 8986	Ondansetron 4 mg/0.1 mL Topical Lipoderm® ActiveMax
PCCA Formula # 8993	Ondansetron 4 mg Base MBK Suppository (Small Shell Mold)
PCCA Formula # 11263	Ondansetron 4 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 10218	Ondansetron 4 mg/5 mL Oral Suspension (FormulaPlus™ BUD Study)
PCCA Formula # 6769	Ondansetron 8 mg Oral Effervescent
PCCA Formula # 5547	Ginger Root 200 mg Sorbitol Lollipop Base™
PCCA Formula # 12375	Promethazine HCl 12.5 mg/Gm to 25 mg/Gm Topical Lipoderm® (FormulaPlus™ BUD Bracketed Study)
	Promethazine – reminder of Black Box Warning for children.
PCCA Formula # 8941	Pyridoxine HCl 10 mg/Ginger 300 mg Oral Effervescent
PCCA Formula # 8987	Ondansetron 4 mg Sorbitol Lollipop™ Base

Commonly Requested Formulas for Patients with Body Odor/Excessive Sweating/Hyperhidrosis

PCCA Formula # 12405	Glycopyrrolate 2% Topical Spray (RheoSpray™)
PCCA Formula # 12243	Glycopyrrolate 2% Topical Foam (VersaBase®)
PCCA Formula # 4270	Tea Tree Oil 2.5%/Tannic Acid 5% Topical Stick
PCCA Formula # 9230	Glycopyrrolate 0.5% Topical Solution
DCC4 F 1 1/4 4 COC	CI

PCCA Formula # 4686 Glycopyrrolate 0.5%/Tea Tree Oil 2.5% Topical Stick

Commonly Requested Formulas for Patients Requiring Sedation

PCCA Formula # 2672	Midazolam 12.5 mg Sorbitol Lollipop Base
PCCA Formula # 11233	Chloral Hydrate 100 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 874	Hydroxyzine HCl 25 mg/10 mL/Chloral Hydrate 1 Gm/10 mL Oral Suspension

Commonly Requested Formulas for Patients with Warts/Molluscum Contagiosum

For more information see Multi-Therapy Use of Topical Imiquimod & Formulas, PCCA Document #98856; Molluscum Contagiosum Consultant's Corner, PCCA Document #98294; and Lipoderm® Case Study: Skin Viral Infection, PCCA Document #99059.

PCCA Formula # 11653	Salicylic Acid 10%/Cimetidine 10% Topical Lipoderm®
PCCA Formula # 9616	EGCg 1%/Tea Tree Oil 1% Topical Anhydrous Lipoderm®
PCCA Formula # 11659	EGCg 1%/Imiquimod 1% Topical Gel (PracaSil™-Plus)
PCCA Formula # 11418	Deoxy-D-Glucose 0.2%/Imiquimod 5%/Tea Tree Oil 2.5%/Cimetidine 10% Topical Cream (VersaBase®
PCCA Formula # 11001	Imiquimod 5%/Deoxy-D-Glucose 0.2% Topical Gel (PracaSil™-Plus)
PCCA Formula # 5615	Cimetidine 10%/Deoxy-D-Glucose 0.29%/Ibuprofen 2% Topical Lipoderm®
PCCA Formula # 10847	Cimetidine 10%/Deoxy-D-Glucose 0.2%/Ibuprofen 2%/Lidocaine 5%/Salicylic Acid 15% Topical
	Occlusaderm [®]
PCCA Formula # 10359	Salicylic Acid 15%/Cimetidine 5% Topical Occlusaderm®
PCCA Formula # 11684	Cimetidine 10%/Tea Tree Oil 2%/EGCg 1%/Deoxy-D-Glucose 0.2% Topical Anhydrous Lipoderm®



Commonly Requested Form	PCCA SuspendIt™		
PCCA Formula # 12553	Clindamycin 10 mg/mL Oral Suspension (SuspendIt™)	(PCCA # 30-4825)	
	(FormulaPlus™ BUD Study)		
PCCA Formula # 12112	Prednisolone 1 mg/mL to 10 mg/mL Oral Suspension	All-in-one oral suspension	
	(SuspendIt™) (FormulaPlus™ BUD Bracketed Study)	compounding vehicle	
PCCA Formula # 11809	Albendazole 200 mg/5 mL Oral Suspension (SuspendIt™)	Natural suspending agentAll-natural sweetener derived	
PCCA Formula # 11272	Sildenafil 20 mg/mL Oral Suspension (SuspendIt™)	from monk fruit	
PCCA Formula # 11243	Ferrous Bisglycinate Chelate 20 mg/mL Oral Suspension	Paraben free and dye free	
	(SuspendIt™)	formulation	
PCCA Formula # 11255	Levetiracetam 100 mg/mL Oral Suspension (SuspendIt™)	Formulated without gluten,	
PCCA Formula # 11211	Azithromycin 200 mg/5 mL Oral Suspension (SuspendIt™)	casein, dairy, soy, egg or nuts	
PCCA Formula # 11231	Caffeine Citrated 10 mg/mL Oral Suspension (SuspendIt™)		
PCCA Formula # 11203	Metronidazole 31.25 mg/mL Oral Suspension (SuspendIt™)		
	(FormulaPlus™ BUD Study)		
PCCA Formula # 11268	Prednisone 5 mg/mL Oral Suspension (SuspendIt™)		
PCCA Formula # 11106	Hydroxychloroquine Sulfate 25 mg/mL Oral Suspension (Suspend	llt™) (FormulaPlus™ BUD Study)	
PCCA Formula # 11584	Aripiprazole 1 mg/mL Oral Suspension (SuspendIt™)		
PCCA Formula # 11241	Erythromycin 250 mg/5 mL Oral Suspension (SuspendIt™)		
PCCA Formula # 7634	Atomoxetine 6 mg/mL Oil Oral Suspension		

The formulas and/or statements listed are provided for educational purposes only. They are compounding ideas that have commonly been requested by physicians, and have not been evaluated by the Food and Drug Administration. Formulas and/or material listed are not to be interpreted as a promise, guarantee or claim of therapeutic efficacy or safety. The information contained herein is not intended to replace or substitute for conventional medical care, or encourage its abandonment. Every patient is unique, and formulas should be adjusted to meet their individual needs.



PE-Compounding Order Form

Valid only if transmitted by facsimile machine

PATIENT INFORMATION				
Patient Name	Phone	DOB	//SSN	
Address		City	State	Zip
ICD10 CODES/DX	Patient will pick up at pharmacy	Patient requests delivery	Known Allergies	
IBUPROFEN ☐ Suppository ☐ 100n	ng	ng Lollir	⊃op □ 100mg	
Sig: 1 QID PRN #12	ig 2001119 40011		op roomg	
ONDANSETRON 4				
☐ Transdermal Cream 4mg/0 Sig: 1 TID PRN #12	0.1mL Suspension 4mg/0.1mL	Lollipop	Suppository	
	_			
MISCELLANEOUS				
	250mg/5mL Oral Suspension			
_ , ,	oquine Sulfate 25mg/mL Oral Suspension	1		
	3mg/mL Oral Suspension			
<u> </u>	e 31.25mg/mL Oral Suspension 2mg/mL Oral Suspension			
	g/mL Oral Suspension			
Sig:ml PO QD BID	TID QID X DAYS			
Nystatin 0.75 Cyanocobalai Lidocaine HC Clindamycin Tricloroacetic	15.3gm / Nystatin powder 15.3gm / A&D oi 8% / Karaya Gum 33% in (Dimethicone 19 min 0.07% / Clobetasol Propionate 0.05% L 4% / Tetracaine 0.5% / Epinephrine 0.05 1% / Benzoyl Peroxide 3% Topical Gel (Acr	%, Zinc Oxide 10%) Topical Oint Cream (Psoriasis/Eczema) % Ointment (Topical Anestheti ne)	tment (Diaper Rash)	n .15ml (Diaper Rash)
Sig: Apply to the affected area Q	D BID TID QID UAD X	DAT3		
POST - TONSILLECTOMY				
☐ Tetracaine HCL 0.5% Lollip Sig: UAD #12 Note: Anesthetic	Dop Loppoper Loppop		dnisone 5mg Lollipop	
		,		
SPECIAL REQUESTS				
Other Requested Formulations				
CHANTITY				
QUANTITY60gm30 D	Day Supply Other Quantity	Refills	0 1 2 3 4 5 PI	RN
	-,,,, <u></u>			
PRESCRIBER				
Physician Name		Phone		
Signature			Date	e//
Dispense	e as Written	May Substitut	te	

"The information provided herein is for reference only and is not to be relied upon as making any representation as to the efficacy of any particular formulations. The sample formulations described herein result from prescriptions previously ordered by professionals licensed to write prescriptions in their respective discipline. Nothing herein is intended to replace or influence the independent judgment of any licensed professional." **The information contained in the transmission accompanying this notice is confidential and protected by law. It's intended for the use of the doctor listed above. If the reader of this message is not the intended recipient. You are hereby notified that any disseminated or distribution of this communication is prohibited. If you have received this in error, please notify us.



FAX COMPLETED PRESCRIPTION PATIENT INSURANCE INFORMATION (if available) PATIENT PHONE NUMBER

TO: 317-900-7458

Noblesville Pharmacy • 758 Westfield Drive • Noblesville, IN 46062 • T: 317-231-5252 info@noblesvillelowcostpharmacy.com

