

Commonly Requested Compounding Ideas for Oncology Patients



**Noblesville
Pharmacy**

RX and Custom Compounding

758 Westfield Rd.
Noblesville, IN
46062

Phone:
317-231-5252

Fax:
317-900-7458

Commonly Requested Formulas for Patients with Nausea & Vomiting

PCCA Formula # 11544	Ranitidine HCl 75 mg/15 mL/Dexamethasone 0.5 mg/15 mL/Metoclopramide 5 mg/15 mL/Chlorpromazine HCl 10 mg/15 mL/Diphenhydramine HCl 12.5 mg/15 mL/Lorazepam 0.5 mg/15 mL Oral Suspension (SuspendIt™)
PCCA Formula # 12485	Lorazepam 1 mg/mL/Diphenhydramine HCl 12.5 mg/mL/Haloperidol 2 mg/mL/Metoclopramide 20 mg/mL Topical Lipoderm®
PCCA Formula # 8986	Ondansetron 4 mg/0.1 mL Topical Lipoderm® ActiveMax™
PCCA Formula # 8987	Ondansetron 4 mg Sorbitol Lollipop™ Base
PCCA Formula # 6769	Ondansetron 8 mg Oral Effervescent
PCCA Formula # 8994	Ondansetron 8 mg Base MBK Suppository (Blue Mold)
PCCA Formula # 9491	Promethazine HCl 25 mg/Gm Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 5547	Ginger Root 200 mg Sorbitol Lollipop™ Base
PCCA Formula # 0887	Lorazepam 1 mg/Diphenhydramine HCl 12.5 mg/Haloperidol 2 mg Base MBK Suppository (Blue Mold)
PCCA Formula # 8941	Pyridoxine HCl 10 mg/Ginger 300 mg Oral Effervescent

Commonly Requested Formulas for Patients with Dry Mouth

PCCA Formula # 11768	Xylitol 10%/Beta Glucan 0.5%/Olive Oil 2% Oral Rinse (MucoLox™)
PCCA Formula # 11754	Xylitol 7%/Betaine 4%/Olive Oil 2%/Calcium Pantothenate 0.1% Oral Rinse (MucoLox™)
PCCA Formula # 11383	Xylitol 7% Oral Rinse (MucoLox™)
PCCA Formula # 11151	Pilocarpine HCl 10 mg/mL Oral Drops (MucoLox™) (FormulaPlus™ BUD Study)
PCCA Formula # 11150	Electrolyte Saliva Gel (MucoLox™)
PCCA Formula # 11149	Artificial Saliva Gel (MucoLox™)
PCCA Formula # 11086	Malic Acid 1% Oral Spray
PCCA Formula # 10775	Sorbitol 300 mg Polyglycol Troche
PCCA Formula # 5414	Pilocarpine Hydrochloride 5 mg Sorbitol Lollipop™ Base

Commonly Requested Formulas for Patients with Excessive Secretions

PCCA Formula # 11246	Glycopyrrolate 0.5 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 9230	Glycopyrrolate 0.5% Topical Solution
PCCA Formula # 8514	Glycopyrrolate 0.1 mg/0.25 mL Topical Lipoderm®

Commonly Requested Formulas for Patients with Hand-Foot Syndrome

See PCCA Document # 99083, *Hand-Foot Syndrome by Andy Glasnapp – Consultant's Corner (11-15 Apothagram)*.

PCCA Formula # 10608	Salicylic Acid 5%/Urea 20%/Ammonium Lactate 12% Topical Cream
PCCA Formula # 3669	Urea 20%/Lactic Acid 5% (W/W) Topical Cream
PCCA Formula # 9448	Ketoprofen 10% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 9377	Amitriptyline HCl 2%/Baclofen 2% Topical Lipoderm®
PCCA Formula # 8541	Ketamine 10%/Gabapentin 6%/Clonidine 0.2%/ Nifedipine 2% Topical Lipoderm®

Commonly Requested Formulas for Patients Needing to Control Odor

PCCA Formula # 3255	Odor Masking (Sub Nasal) Balm
PCCA Formula # 0430	No Rinse Shampoo/Body Wash
PCCA Formula # 1789	Chlorophyllin Sodium Copper 0.5% Topical Ointment
PCCA Formula # 0529	Chlorophyllin 0.2% Mouthwash
PCCA Formula # 11929	Green Tea Extract 5% Mouth Rinse (MucoLox™)
PCCA Formula # 3665	Camphor 12%/Menthol 2%/Methyl Salicylate 5% Nasal Ointment



Tel: 800.331.2498 | Fax: 800.874.5760 | pccarx.com

Please contact PCCA's Pharmacy Consulting Department with questions regarding the formulations. Page 1 of 5

06/28/17

Commonly Requested Compounding Ideas for Oncology Patients (cont'd)

Commonly Requested Formulas for Patients with Wounds

For additional ideas, refer to PCCA Document #97853, *Commonly Requested Compounding Ideas for Patients with Wounds*.

Wounds Without Infection

PCCA Formula # 12074	Beta Glucan 0.5%/Naltrexone HCl 0.5% Topical Spray (MucoLox™)
PCCA Formula # 11975	Aloe Vera 0.2%/Arginine HCl 1%/Misoprostol 0.0024%/Naltrexone HCl 1% Topical Gel (MucoLox™)
PCCA Formula # 11970	Phenytoin 5%/Misoprostol 0.0024%/Arginine HCl 1%/Aloe Vera 0.5%/Insulin 1 U/Gm Topical Gel (Spira-Wash™)
PCCA Formula # 11964	Arginine HCl 1%/Aloe Vera 0.2%/Misoprostol 0.0024%/Naltrexone HCl 1%/Phenytoin 2% Topical Gel (Spira-Wash™)
PCCA Formula # 11953	Misoprostol 0.0024%/Phenytoin 2%/Beta Glucan 0.5% Topical Gel (MucoLox™)
PCCA Formula # 4429	Phenytoin 2%/Misoprostol 0.0024%/Lidocaine 2%/Bupivacaine HCl 0.2%/Diphenhydramine HCl 1%/Aloe Vera 0.2% Polyox Bandage

Infected Wounds

PCCA Formula # 11930	Misoprostol 0.0024%/Mupirocin 2% Anhydrous Topical Spray (PracaSil-Plus™)
PCCA Formula # 10298	Misoprostol 0.0024%/Metronidazole 2%/Lidocaine HCl 2% Spira-Wash™ Gel
PCCA Formula # 10296	Misoprostol 0.0024%/Phenytoin 5%/Gentamicin 0.2% Spira-Wash™ Gel

Wounds with Pain

PCCA Formula # 7034	Morphine Sulfate 1 mg/mL Topical Gel
---------------------	--------------------------------------

Commonly Requested Formulas for Patients Needing Oral Suspensions

PCCA Formula # 11251	Ibuprofen 400 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 11379	Hydrocodone Bitartrate 10 mg/5 mL/Acetaminophen 325 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 11260	Morphine Sulfate 100 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 11725	Morphine Sulfate 1 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 11264	Oxycodone HCl 20 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 11319	Omeprazole 5 mg/mL Oral Suspension (FormulaPlus™ BUD Study)
PCCA Formula # 11024	Omeprazole 2 mg/mL Oral Suspension (PCCA-Plus™/PCCA Syrup™) (FormulaPlus™ BUD Study)
PCCA Formula # 9673	Lansoprazole 3 mg/mL Oral Suspension (Flavorless) (FormulaPlus™ BUD Study)
PCCA Formula # 11271	Ranitidine 30 mg/mL Oral Suspension (SuspendIt™) (FormulaPlus™ BUD Study)

Commonly Requested Formulas for Patients with Pain

See PCCA Document #98006, *Commonly Requested Compounding Ideas for Patients Experiencing Pain*.

PCCA Formula # 11260	Morphine Sulfate 100 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 10143	Morphine Sulfate 5% Topical Lipoderm® HMW™
PCCA Formula # 10142	Fentanyl 100 mcg/0.1 mL Topical Lipoderm® HMW™
PCCA Formula # 11379	Hydrocodone Bitartrate 10 mg/5 mL/Acetaminophen 325 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 11264	Oxycodone HCl 20 mg/mL Oral Suspension (SuspendIt™)
PCCA Formula # 9111	Ibuprofen 600 mg Base MBK Suppository (Pink Mold)
PCCA Formula # 9448	Ketoprofen 10% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 7280	Morphine Sulfate 50 mg Base F Slow Release Suppository (Pink Mold)
PCCA Formula # 2434	Hydrocodone Bitartrate 5 mg/Acetaminophen 500 mg Base MBK Suppository (Pink Mold)
PCCA Formula # 7197	Oxycodone HCl 30 mg Base MBK Suppository (Blue Mold)
PCCA Formula # 0515	Fentanyl 50 mcg/mL Nasal Spray
PCCA Formula # 5418	Fentanyl 0.1 mg Sorbitol Lollipop™ Base
PCCA Formula # 5413	Ketamine 50 mg Sorbitol Lollipop™ Base
PCCA Formula # 7537	Hydrocodone Bitartrate 20 mg Slow Release Capsules Size #1

For more information,
see PCCA Document
#94064, the **Algorithm
for Pain/Neuropathy,**
in the Documents
section of the PCCA
Members-Only
Website.



Commonly Requested Compounding Ideas for Oncology Patients (cont'd)

Commonly Requested Formulas for Patients with Neuropathic Pain

PCCA Formula # 10835	Ketamine HCl 5%/Gabapentin 10%/Clonidine HCl 0.2%/Baclofen 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 11100	Ketamine HCl 5%/Gabapentin 6%/Amitriptyline HCl 3%/Indomethacin 5%/Tizanidine HCl 0.2%/Lidocaine 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 11091	Ketamine HCl 10%/Baclofen 2%/Cyclobenzaprine HCl 2%/Gabapentin 6%/Lidocaine 5% Topical Lipoderm® ActiveMax™
PCCA Formula # 10862	Ketamine HCl 10%/Diclofenac Sodium 8%/Gabapentin 6%/Bupivacaine HCl 1%/Cyclobenzaprine HCl 2%/Baclofen 2% Topical Lipoderm® ActiveMax™
PCCA Formula # 10319	Flurbiprofen 10%/Cyclobenzaprine HCl 1%/Gabapentin 6%/Lidocaine 2%/Prilocaine HCl 2% Topical Lipoderm® (FormulaPlus™ BUD Study)
PCCA Formula # 10287	Diclofenac Sodium 5%/Gabapentin 5%/Amitriptyline HCl 2% Topical Lipoderm® ActiveMax™ (FormulaPlus™ BUD Study)

Commonly Requested Formulas for Patients with Allodynia

Sometimes people have pain on the skin upon which they cannot apply cream. Using a spray or foam may make them comfortable enough to apply Lipoderm®.

PCCA Formula # 11022	Ketoprofen 10%/Cyclobenzaprine HCl 2%/Amitriptyline HCl 2%/DMSO 15% Topical Spray
PCCA Formula # 10538	Lidocaine HCl 10%/Tetracaine HCl 5%/Prilocaine HCl 5%/Bupivacaine HCl 1% Topical Spray
PCCA Formula # 6734	Ketamine HCl 2%/Morphine Sulfate 2% Topical Foam
PCCA Formula # 5026	Ketamine HCl 4%/Morphine Sulfate 4% Topical Spray
PCCA Formula # 5027	Ketamine HCl 10%/Bupivacaine HCl 0.3% Topical Spray

Commonly Requested Formulas for Patients with Bone Pain

PCCA Formula # 11251	Ibuprofen 400 mg/5 mL Oral Suspension (SuspendIt™)
PCCA Formula # 2491	Ibuprofen 400 mg Base MBK Suppository (Pink Mold)
PCCA Formula # 9114	Ibuprofen 600 mg Base MBK Suppository (Large Shell Mold)
PCCA Formula # 9115	Ibuprofen 800 mg Base MBK Suppository (Large Shell Mold)
PCCA Formula # 7790	Ibuprofen 800 mg/5 mL Oral Suspension

Commonly Requested Formulas for Patients with Oral Mucositis Pain from Chemotherapy/Radiation

PCCA Formula # 11144	Stanford Modified Mouthwash (MucoLox™)
PCCA Formula # 11145	Stanford Mouthwash (MucoLox™)
PCCA Formula # 11133	Misoprostol 0.0024%/Diphenhydramine HCl 0.1%/Lidocaine HCl 1% Oral Rinse (MucoLox™)
PCCA Formula # 11128	Doxepin HCl 0.5% Mouthwash (MucoLox™) (FormulaPlus™ BUD Study)
PCCA Formula # 11382	Lidocaine HCl 1%/Beta Glucan 0.5%/Dexpanthenol 1%/Vitamin E Acetate 2%/Glutamine 2% Popsicle (MucoLox™)
PCCA Formula # 11134	Misoprostol 0.0024%/Ketoconazole 1% Compound Oral Rinse (MucoLox™)
PCCA Formula # 11132	Lidocaine HCl 2% Oral Rinse (MucoLox™)
PCCA Formula # 11120	Beta Glucan 0.5%/Dexpanthenol 1%/Vitamin E Acetate 2% Oral Rinse (MucoLox™)
PCCA Formula # 11138	Dexamethasone 3.3 mcg/mL/Tetracycline HCl 13.5 mg/mL/Nystatin 16,667 U/mL/ Diphenhydramine HCl 1.25 mg/mL Mouthwash (MucoLox™)
PCCA Formula # 11431	Morphine Sulfate 2% Oral Rinse (MucoLox™)
PCCA Formula # 11139	Glutamine 1 Gm/5 mL Oral Suspension (MucoLox™)
PCCA Formula # 11382	Lidocaine HCl 1%/Beta Glucan 0.5%/Dexpanthenol 1%/Vitamin E Acetate 2%/Glutamine 2% Popsicle (MucoLox™)
PCCA Formula # 5380	Tetracaine HCl 0.5% Sorbitol Lollipop™ Base



Commonly Requested Compounding Ideas for Oncology Patients (cont'd)

Commonly Requested Formulas for Patients with Burning Mouth Syndrome

PCCA Formula # 11128	Doxepin HCl 0.5% Mouthwash (MucoLox™) (FormulaPlus™ BUD Study)
PCCA Formula # 11127	Amitriptyline HCl 2%/Gabapentin 6%/Lidocaine HCl 0.5% Oral Rinse (MucoLox™)
PCCA Formula # 11412	Ketamine HCl 3%/Amitriptyline HCl 2%/Gabapentin 6%/ Lidocaine HCl 0.5% Oral Rinse (MucoLox™)
PCCA Formula # 10893	Salicylic Acid 0.3% Mouthwash (MucoLox™)
PCCA Formula # 3327	Capsaicin 0.25 mg Base A Troche

Commonly Requested Formulas for Patients with Oral Yeast Infections

PCCA Formula # 11129	Clotrimazole 1% Oral Rinse (MucoLox™)
PCCA Formula # 11141	Nystatin 100,000 U/mL Oral Suspension (MucoLox™) (FormulaPlus™ BUD Study)
PCCA Formula # 11204	Nystatin 100,000 U/mL Oral Suspension (SuspendIt™) (FormulaPlus™ BUD Study)
PCCA Formula # 11408	Amphotericin B 50 mg/mL Oral Rinse (MucoLox™)
PCCA Formula # 11227	Amphotericin B 100 mg/mL Oral Suspension (SuspendIt™) (FormulaPlus™ BUD Study)
PCCA Formula # 3545	Clotrimazole 80 mg/Lidocaine HCl 0.5% Sorbitol Lollipop™ Base
PCCA Formula # 5954	Amphotericin B 100 mg Gelatin Troche
PCCA Formula # 5383	Amphotericin B 500 mg Sorbitol Lollipop™ Base

Commonly Requested Formulas for Patients with Radiation Burns

See PCCA Document #98741, *PracaSil™-Plus Case Study: Radiation Burn Skin (Acinic Cell Carcinoma)*, and PCCA Document #98870, *PracaSil-Plus Case Study: Open Wound After Radiation*.

PCCA Formula # 11041	Misoprostol 0.0024%/Lidocaine HCl 2% Topical Lotion (VersaBase®)
PCCA Formula # 11396	Ketoprofen 2%/Lidocaine 2%/Misoprostol 0.0024%/Phenytoin 2%/Aloe Vera 0.2% Topical Gel (PracaSil™-Plus)
PCCA Formula # 10944	Allantoin 2%/Vitamin D3 1000 IU/Gm/Aloe Vera 0.5% Spira-Wash™ Gel
PCCA Formula # 10137	Ketoprofen 2%/Lidocaine 2%/Aloe Vera 0.2%/Phenytoin 2% Topical Cream (Occlusaderm®)

Commonly Requested Formulas for Patients with Constipation

PCCA Formula # 10804	Naltrexone HCl 0.5 mg Capsules Size #3 (LoxOral™)
PCCA Formula # 5012	Bisacodyl 10 mg Base A Suppository (Blue Mold)

Commonly Requested Formula for Patients with Lymphedema

PCCA Formula # 8539	Coumarin 10% Topical Cream (VersaBase®)
---------------------	---

Commonly Requested Formulas for Patients with Vaginal Dryness (Non-Hormonal)

PCCA Formula # 11117	Sodium Hyaluronate 5 mg/Gm Compound Vaginal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11119	Vitamin E 200 U/Gm Vaginal Gel (MucoLox™/VersaBase®)


Commonly Requested Formulas for Patients with Itching

PCCA Formula # 6735	Lidocaine HCl 1%/Diphenhydramine HCl 2%/Dexamethasone 0.5%/ Cimetidine 4% Topical Cream (VersaBase®)
PCCA Formula # 6758	Lidocaine HCl 1%/Diphenhydramine HCl 2%/Dexamethasone 0.5%/Cimetidine 4% Topical Gel (VersaBase®)

Surgery Scar



Day 1



11 months

A basal cell carcinoma patient, **Matthew**, used *PracaSil-Plus* for post-surgical scars – and reported a 75% overall improvement.

PracaSil™-Plus is a superior compounding base created for scar therapy – and it's helping make a huge difference for patients with scars, including those resulting from surgery. For more information, see PCCA Document #98638, the **PracaSil-Plus Studies Booklet**.

See the [PracaSil-Plus flipbook](#) showing more before and after photos.



Commonly Requested Compounding Ideas for Oncology Patients (cont'd)

Commonly Requested Formulas for Patients with Adult "Diaper" Rash

PCCA Formula # 11031	Diaper Rash Topical Gel (PracaSil™-Plus)
PCCA Formula # 6456	Cholestyramine 10% Diaper Rash Ointment
PCCA Formula # 6953	Vitamin A Palmitate 5000 IU/mL/Vitamin E Acetate 0.1%/Aloe Vera Oil 2%/Zinc Oxide 5% Topical Liquid

Commonly Requested Formulas for Patients with Rectal Spasms

PCCA Formula # 11126	Baclofen 2%/Guaifenesin 5%/Cyclobenzaprine HCl 2% Rectal Gel (MucoLox™)
PCCA Formula # 9606	Baclofen 20 mg/Guaifenesin 50 mg/Cyclobenzaprine HCl 20 mg Base MBK Suppository (Pink Mold)

Commonly Requested Formulas for Patients with Radiation Proctitis

PCCA Formula # 11928	Lidocaine HCl 1%/Beta Glucan 0.5%/Dexpanthenol 1%/Glutamine 2% Rectal Suspension Enema (MucoLox™)
PCCA Formula # 4297	Retention Enema Vehicle

Commonly Requested Formulas for Patients with Hemorrhoids

PCCA Formula # 11458	Suppository, General Formula – Base MBK/Wax/MucoLox™ (Rectal Rocket) <i>Various drugs can be combined and put into a Rectal Rocket Mold. The unique design of this suppository base will allow the drug to remain in contact with internal as well as external hemorrhoids for an extended period of time (overnight).</i>
PCCA Formula # 11491	Lidocaine 2%/Hydrocortisone 1% Base MBK/Wax/MucoLox™ Suppository (Rectal Rocket)
PCCA Formula # 11423	Lidocaine 2%/Hydrocortisone 1%/Phenylephrine HCl 0.25% Base MBK/Wax Suppository (Rectal Rocket)
PCCA Formula # 2317	Aloe Vera 3%/Vitamin E 100 IU/Zinc Oxide 3% Base MBK/Wax Suppository (Rectal Rocket)
PCCA Formula # 8709	Suppository, General Formula – Rectal Rocket Mold – Base MBK/Wax
PCCA Formula # 3515	Lidocaine 2%/HC 1% Base MBK Paraffin Rectal Rocket Suppository

Commonly Requested Formulas for Patients with Anal Fissures

PCCA Formula # 11952	Nifedipine 0.2%/Lidocaine 2% Rectal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11988	Allantoin 2%/Nifedipine 0.4%/Lidocaine 3% Rectal Gel (MucoLox™/VersaBase®)
PCCA Formula # 11432	Lidocaine 2%/Hydrocortisone 1% /Tranexamic Acid 2% Base MBK/Wax Suppository (Rectal Rocket)
PCCA Formula # 11124	Nifedipine 0.2% Rectal Gel (MucoLox™/VersaBase®)
PCCA Formula # 5068	Nitroglycerin 0.2%/Misoprostol 0.002%/Phenytoin 0.2% Topical Ointment

Commonly Requested Formulas for Patients with Hair Loss After Chemotherapy

PCCA Formula # 11095	Minoxidil 5%/Tretinoin 0.025% Topical Gel (FormulaPlus™ BUD Study)
PCCA Formula # 10645	Minoxidil 10% Topical Shampoo (VersaBase®)

The formulas and/or statements listed are provided for educational purposes only. They are compounding ideas that have commonly been requested by physicians, and have not been evaluated by the Food and Drug Administration. Formulas and/or material listed are not to be interpreted as a promise, guarantee or claim of therapeutic efficacy or safety. The information contained herein is not intended to replace or substitute for conventional medical care, or encourage its abandonment. Every patient is unique, and formulas should be adjusted to meet their individual needs.

